




Jobst



Maintenance instructions

Pflegeanleitung

Bitte lies diese Pflegeanleitung vor Gebrauch deiner Waschanlage!

Zur richtigen Pflege sind ein paar einfache Reinigungs- und Pflegetipps zu beachten.

Bei Benutzung unzulässiger Reinigungsmittel kann jede Oberfläche beschädigt werden.

Diese Schäden sind von Garantieleistungen ausgeschlossen!

Porzellanwaschbecken sind mit flüssiger Scheuermilch und weichem Schwamm zu reinigen. Metallische „Kratzer“ am Beckenrand können beim Hantieren mit Scheren, Uhren oder Ringen auftreten. Diese Kratzer sind oberflächlich und können mit flüssigem Poliermittel (z.B. Stahlfix) entfernt werden.

Einhebelmischbatterie: Chrombeschichtete Oberflächen sind empfindlich gegen säure- und sandhaltige Reinigungsmittel sowie kratzende Schwämme. Bei Verschmutzungen oder Kalkablagerungen solltest du die Armaturen mit Seifenwasser oder verdünntem Haushaltsessig reinigen, mit klarem Wasser nachspülen und trockenreiben.

Handbrause: Bei nachlassender Wassermenge Luftsprudler bzw. Handbrause in Essig entkalken.

Haarfänger: Wichtig! Beim Haare waschen unbedingt Haarfänger einsetzen. Haarfänger nur außerhalb des Waschbeckens reinigen, sonst besteht Verstopfungsgefahr.

Grundgerät: Die lackierten Teile deiner Waschanlage und auch die Kunststoffverkleidung dürfen nur mit einer milden Seifenlauge gereinigt werden. Bitte beachte, dass es auch bei einem hochwertigen Industrielack unmöglich ist, eingetrocknete Farbreste – hervorgerufen durch Haarfärbemittel oder Ähnliches – restlos zu entfernen. Daher ist es ratsam, eventuelle Farbspritzer sofort zu entfernen. Bei richtiger Pflege wirst du jahrelang mit deiner Waschanlage zufrieden sein.

Deutsche Wertarbeit – Innovativ und nachhaltig

Qualität hat viele Gesichter. Wir kümmern uns um jedes Einzelne. Im Fokus steht dabei immer die Zufriedenheit unserer Kunden.

Für unsere Produkte ein absolutes Muss: Innovation. Einfache Bedienung. Guter Preis. Dafür arbeiten wir einerseits mit einem Industriedesigner zusammen, der mit uns vor Ort sämtliche Produktreihen entwirft und verwirklicht. Andererseits tragen dazu unsere langjährigen Mitarbeiter mit viel technischer Erfahrung und fachlicher Kompetenz bei.

Darauf sind wir stolz: Regionalität. Nachhaltigkeit. Hochwertigkeit. Denn „Made in Germany“ steht für hohe Wertbeständigkeit und Güte. Im eigenen Betrieb in Baden-Württemberg fertigen wir Dreh- und Frästeile auf computergesteuerten Maschinen und übernehmen die Feinbearbeitung von Gussteilen. Auch die abschließende Qualitätskontrolle führen wir im eigenen Haus durch. Zum Service gehört selbstverständlich die Endmontage aller Produkte. Ein Pluspunkt: Durch die Produktion vor Ort haben wir kurze Transportwege und sparen dabei CO₂.

Please read these maintenance instructions before beginning to use the system.

For correct maintenance, a few simple cleaning maintenance instructions must be observed.

The use of unapproved cleaning agents may cause damage to any surface.

Such damage is not covered by warranty!

Porcelain basin: Clean with liquid scouring cream and soft sponge. Metallic „scratches“ on the edge of the basin may be caused by scissors, watches or rings. These scratches are on the surface only and can be removed with liquid polishing agents (e.g. Stahlfix)

Single-lever mixer: Chrome-coated surfaces are sensitive to acidic and sandy cleaning agents, and to abrasive sponges. If your water is contaminated or there is a build-up of limescale, clean fitting with soapy water or diluted household vinegar, rinse with clear water and rub dry.

Hand spray: Should the volume of water be reduced, descale the aerator and hand shower in vinegar.

Hair trap: Important! When washing hair, it is essential to use the hair trap. Clean the hair trap well away from the basin, otherwise it may get blocked.

Basic unit: Both the coated parts of your basic unit and the plastic covering of the column may only be cleaned with a mild soap solution. Please note that even with high-quality industrial coating, it is impossible to completely remove dried remains of colour caused by hair dyeing agents or the like. It is therefore essential to immediately remove splashes of dye. Correct and proper maintenance of the device will help to ensure many years of positive and satisfying use of the washing system.


German workmanship – innovative and sustainable

Quality has many facets, and we take care of every single one. In doing so, the satisfaction of our customers is always our first priority.

The absolute must-haves for our products are innovation, ease of use and a good price. On the one hand, we work towards these through our cooperation with an industrial designer who designs and produces all product series on site. On the other hand, a large contribution is made towards this by our dedicated team of employees, with their many years of technical experience and professional competence.

We are proud of our regionality, our sustainability and our high quality. After all, „Made in Germany“ stands for high lasting value and high quality. In our own industrial facility in Baden-Württemberg, we manufacture turned and milled parts on computer-controlled machines and carry out the fine processing of cast parts. We also carry out subsequent quality control on our own premises. As a matter of course, the final assembly of all products is included within our service. A plus point: due to the fact that we manufacture on site, we are able to keep our transport routes short. This means that we reduce our CO₂ emissions.

Follow Jobst



ES Instrucciones de mantenimiento

PL instrukcja konserwacji

FR Notice d'entretien

IT Istruzioni di manutenzione

SV skötselanvisning

RU Инструкция по уходу

NL onderhoudsinstructies

TR Bakım Kılavuzu



[www.jobst-salon.de/
downloads.html](http://www.jobst-salon.de/downloads.html)

Jobst GmbH

Albert-Einstein-Str. 4
D-73529 Schwäbisch Gmünd

+49 7171 82004
info@jobst-salon.de
www.jobst-salon.de

#welovehairstylists